

Conveyor beam (输送梁)

FlexMod®

FlexMod.cn 晨翔




CXS-4

Beam (输送梁)

CXSCB 3

Length 3 m (长度3m)



Slide rail (耐磨条)

Length 25 m (长度25m)

CXSCR 25

Polyethylene (聚乙烯)  
HDPE White/Black

CXSCR 25U

UHMW White  
(高分子量聚乙烯)

CXLAH 3X6A

Aluminium rivet (铝铆钉)

CXSCR 25 CXSCR 25U



CXLAH 3X6A




CXS

Connecting strip with set screws  
(梁体连接条)

CXSCJ 6X160  
CXSCJ 6X130


Length 160 mm  
Length 130 mm



T-slot cover, 50M/Rol (防尘胶条)

CXLAB 50

Length 50 m (长度50m)



CX3924774

Drill fixture for slide rail  
(耐磨条安装工具)

CX3924774



Beam outer (外侧半梁)



CXSCB 3H      Length 3 m(长度3m)

Beam inner (内侧半梁)


CXSCB 3J      Length 3 m(长度3m)

CXSCB 3H

CXSCB 3J





CXSCC 160      Beam section for chain  
Installation  
including connection  
strips and screws  
(链条拆装用活接梁)



Beam spacer(型材隔条)

CXLCD 3      Aluminium,  
anodized  
Length 3mt  
(长度3m)



CXS	H=16.0mm
CXL	H=15.9mm
CXM/CX85/CXH	H=10.5mm
CXK	H=0.5mm